

> SPECIALTY PRODUCTS



> LARGE RUGGEDIZED SHIPPING CASES



> BLACKBOX™ RACK MOUNT CASES



> XX-LARGE RUGGEDIZED SHIPPING CASES

> PELICAN-HARDIGG® ROTO-PACK PRODUCT LIST



> ROTO MOLDING TECHNOLOGY is a versatile manufacturing process that produces highly durable ruggedized shipping cases. Several molds are placed on a machine at the same time, plastic resin is loaded into each of the molds which are then heated and slowly rotated on both the vertical and horizontal axis.

DESIGN ADVANTAGES: Roto Molding results in seamless parts with more material in the corners and edges for additional impact protection. Since the material is not stressed during production the finished part is stronger.

Go to: pelican.ca/rototopack for a complete description of the Roto Molding process

CATALOG NUMBER:
BB0030-0000-110

CATALOG NUMBER:
BB0050-0000-110

CATALOG NUMBER:
BB0050-0000-110



> BLACKBOX™ RACK MOUNT CASES

These lightweight, compact, and double ended cases offer light to medium duty protection and boast significantly better light duty shock performance than the competition. The use of recycled materials in the shell and a sturdy steel frame offer great value while upholding Hardigg's industry-leading standards. When you need to be cost-conscious but can't sacrifice performance, BlackBox is the answer.

- 24" (61 cm) Rugged steel rack frame with 10-32 threads designed to meet ANSI/EIA 310-C
- Rack designed for applications up to 100 lbs (45 kg)
- Shock mounts provide 2" (5.1cm) of sway space to isolate equipment
- 2" (5.1cm) lid and 5" (12.7cm) lid with edge casters


> BLACKBOX™ RACK MOUNT CASES

PRODUCT	CATALOGUE NUMBER	FEATURES APPLICATION EXAMPLES	RACK* HEIGHT U-SIZE	RACK* LENGTH	RACK* WIDTH	LID I.D.* FRONT/ BACK ¹	LENGTH* O.D. ²	WIDTH* O.D.	HEIGHT* O.D. ³	WEIGHT* O.D.
BLACKBOX™ RACK MOUNT CASE With 3 unit rack mount	BB0030-0000-110	FEATURES: <ul style="list-style-type: none"> ▪ Engineered racks provide a secure and mobile electronics enclosure ▪ 2 wheels ▪ Lightweight and compact ▪ Shock-mounts ▪ Shock mounts provide 2" (5.1cm) of sway space to isolate equipment ▪ Moulded-in rib design provides secure stacking and interlock ▪ Patented wide-design Comfort grip handles™ make lifting easy ▪ Black hardware is long-lasting and fastens securely ▪ Automatic pressure relief valve ▪ Airtight and watertight APPLICATION EXAMPLES: <ul style="list-style-type: none"> ▪ Audio/Video recording and processing systems ▪ Satellite communication systems ▪ Radio communication systems ▪ Seismic data recording instrumentation ▪ Climate data collection 	5.25" (13.3 cm)	24.00" (61.0 cm)	19.00" (48.3 cm)	2.20/5.20" (5.6/13.2 cm)	38.50" (97.8 cm)	24.60" (62.5 cm)	11.40" (28.9 cm)	42 lbs. (19.05 kg)
BLACKBOX™ RACK MOUNT CASE With 4 unit rack mount	BB0040-0000-110		7.00" (17.8 cm)	24.00" (61.0 cm)	19.00" (48.3 cm)	2.20/5.20" (5.6/13.2 cm)	38.50" (97.8 cm)	24.60" (62.5 cm)	13.10" (33.3 cm)	47 lbs. (21.32 kg)
BLACKBOX™ RACK MOUNT CASE With 5 unit rack mount	BB0050-0000-110		8.75" (22.2 cm)	24.00" (61.0 cm)	19.00" (48.3 cm)	2.20/5.20" (5.6/13.2 cm)	38.50" (97.8 cm)	24.60" (62.5 cm)	14.90" (37.8 cm)	48 lbs. (21.77 kg)
BLACKBOX™ RACK MOUNT CASE With 7 unit rack mount	BB0070-0000-110		12.25" (31.1 cm)	24.00" (61.0 cm)	19.00" (48.3 cm)	2.20/5.20" (5.6/13.2 cm)	38.50" (97.8 cm)	24.60" (62.5 cm)	18.40" (46.7 cm)	51 lbs. (23.13 kg)
BLACKBOX™ RACK MOUNT CASE With 9 unit rack mount	BB0090-0000-110		15.75" (40 cm)	24.00" (61.0 cm)	19.00" (48.3 cm)	2.20/5.20" (5.6/13.2 cm)	38.50" (97.8 cm)	24.60" (62.5 cm)	21.90" (55.6 cm)	56 lbs. (25.4 kg)
BLACKBOX™ RACK MOUNT CASE With 11 unit rack mount	BB0110-0000-110		19.25" (48.9 cm)	24.00" (61.0 cm)	19.00" (48.3 cm)	2.20/5.20" (5.6/13.2 cm)	38.50" (97.8 cm)	24.60" (62.5 cm)	25.40" (64.5 cm)	60 lbs. (27.22 kg)
BLACKBOX™ RACK MOUNT CASE With 14 unit rack mount	BB0140-0000-110		24.50" (62.2 cm)	24.00" (61.0 cm)	19.00" (48.3 cm)	2.20/5.20" (5.6/13.2 cm)	38.50" (97.8 cm)	24.60" (62.5 cm)	30.60" (77.7 cm)	66 lbs. (29.94 kg)

* All dimensions are approximate. All BlackBox™ rackmount cases are available exclusively in black. Limited warranty applies.

¹ - Lid Outside Dimension (O.D.) = Lid I.D. plus 1.3" (3.3 cm) on 5.2" (13.2 cm) lids and plus 1.1" (2.8 cm) on 2.2" (5.6 cm) | ² - Length includes stiffening ribs

³ - Height excludes .4" (1.1cm) stacking ribs



SINGLE FIELD DESK

> SPECIALTY PRODUCTS

Our specialty products are well engineered portable workspace solutions. These specialty products range from portable desks that setup in minutes to storage chests with metal drawers and dividers to keep all your supplies safe and organised. For protecting personal gear, our footlockers and trunklockers are lightweight and lockable. Whatever your need, whatever the environment, we have a durable solution to keep the job moving along.

CATALOGUE NUMBER:
FD3121-0000-130

> SPECIALTY PRODUCTS

PRODUCT	CATALOG NUMBER	FEATURES APPLICATION EXAMPLES	DIMENSIONS* LENGTH x WIDTH x HEIGHT	WEIGHT*									
	SINGLE FIELD DESK FD3121-0000-130	FEATURES: <ul style="list-style-type: none"> 1 Large work surface, chair, and drawers 6 Drawers: 2 shallow (padlock for extra security), 2 deep, 2 file sizes 1 Chair: load rated to 300 lbs. (136 kg each) • Airtight and watertight APPLICATION EXAMPLES: <ul style="list-style-type: none"> Command centers, Construction sites, Emergency aid shelters 	<ul style="list-style-type: none"> Collapsed Form: 30.70" x 21.00" x 28.50" (77.9 x 53.3 x 72.4 cm) Extended Form: 61.40" x 28.50" x 28.50" (156 x 72.4 x 72.4 cm) 	81.3 lbs. (37 kg)									
	DOUBLE DUTY FIELD DESK FD3429-0000-130	FEATURES: <ul style="list-style-type: none"> 2 Large desk surfaces, with rolling casters 6 Drawers: 2 shallow (padlock for extra security), 2 deep, 2 file sizes 2 Casters 2 Chairs: Load rated to 300 lbs. (136 kg each) Airtight and watertight APPLICATION EXAMPLES: <ul style="list-style-type: none"> Command centers, Construction sites, Emergency aid shelters 	<ul style="list-style-type: none"> Collapsed Form: 34.00" x 28.50" x 24.90" (86.4 x 72.4 x 63.2 cm) Extended Form: 102.00" x 28.50" x 28.50" (259.1 x 72.4 x 72.4 cm) 	100 lbs. (45.5 kg)									
	TRUNKLOCKER TL3619-0000-130	FEATURES: <ul style="list-style-type: none"> Storage locker Extra-deep storage cavity Injection moulded outer shell Moulded-in stacking ribs Two press & pull latches Two organization trays Water resistant APPLICATION EXAMPLES: <ul style="list-style-type: none"> General storage, Tool storage, Emergency preparedness supplies 	<ul style="list-style-type: none"> Exterior dimensions: 36.27" x 18.50" x 19.56" (92.1 x 47 x 49.7 cm) Interior dimensions: 32.88" x 15.00" x 17.75" (83.5 x 38.1 x 45.1 cm) 	26 lbs. (11.79 kg)									
	FOOTLOCKER FT3317-0000-130	FEATURES: <ul style="list-style-type: none"> 2 wheels Spring loaded butterfly latches 2 black trays Airtight and watertight APPLICATION EXAMPLES: <ul style="list-style-type: none"> Command centers, Construction sites, Emergency aid shelters 	<ul style="list-style-type: none"> Exterior dimension: 33.00" x 17.00" x 17.00" (83.8 x 43.2 x 43.2 cm) Interior dimensions: 29.00" x 14.00" x 15.00" (73.7 x 35.6 x 38.1 cm) 	27 lbs. (12.3 kg)									
	MEDCHEST 3 MC3000-3018-130	FEATURES: <ul style="list-style-type: none"> Storage chest 2 wheels Spring loaded butterfly latches Airtight and watertight Made from fire retardant material 3 x 5" (7.6 x 12.7cm) Card holder APPLICATION EXAMPLES: <ul style="list-style-type: none"> Emergency response supplies, Medicines, Maintenance/Repair/Operations Parts 	<ul style="list-style-type: none"> Exterior dimension: 32.75" x 20.87" x 12.61" (83.2 x 53 x 32 cm) Interior dimension: 30.00" x 18.00" x 11.00" (76.2 x 45.7 x 27.9 cm) 	39 lbs. (17.69 kg)									
	MEDCHEST 4 DRAWER MC4100-0040-130	FEATURES: <ul style="list-style-type: none"> Four-drawer case with full extension sliding drawers 2 wheels Spring loaded butterfly latches Full-extension ball-bearing slides Made from fire retardant material Airtight and watertight Customisable divider system APPLICATION EXAMPLES: <ul style="list-style-type: none"> Emergency response supplies and medicines 	<table border="1"> <thead> <tr> <th>DRAWER #</th> <th>LENGTH x WIDTH x DEPTH</th> </tr> </thead> <tbody> <tr> <td>1, 2, 3, 4</td> <td>15.00" x 6.90" x 7.80" (38.1 x 17.5 x 19.8 cm)</td> </tr> </tbody> </table>	DRAWER #	LENGTH x WIDTH x DEPTH	1, 2, 3, 4	15.00" x 6.90" x 7.80" (38.1 x 17.5 x 19.8 cm)	<ul style="list-style-type: none"> Exterior dimensions: 32.75" x 20.87" x 12.61" (83.2 x 53 x 32 cm) 	64 lbs. (29.03 kg)				
DRAWER #	LENGTH x WIDTH x DEPTH												
1, 2, 3, 4	15.00" x 6.90" x 7.80" (38.1 x 17.5 x 19.8 cm)												
	MEDCHEST 8 DRAWER MC8100-0080-130	FEATURES: <ul style="list-style-type: none"> Eight-drawer case with full extension sliding drawers 2 wheels Spring loaded butterfly latches Full-extension ball-bearing slides Made from fire retardant material Airtight and watertight Customisable divider system One lockable drawer Removable stainless-steel work tray Comfort grip handles APPLICATION EXAMPLES: <ul style="list-style-type: none"> Emergency response supplies and medicines 	<table border="1"> <thead> <tr> <th>DRAWER #</th> <th>LENGTH x WIDTH x DEPTH</th> </tr> </thead> <tbody> <tr> <td>1, 2, 3, 4</td> <td>15" x 2.9" x 7.8" (38.1 x 7.4 x 19.8 cm)</td> </tr> <tr> <td>5, 6</td> <td>15" x 3.9" x 7.8" (38.1 x 9.9 x 19.8 cm)</td> </tr> <tr> <td>7, 8</td> <td>15" x 4.9" x 7.8" (38.1 x 12.4 x 19.8 cm)</td> </tr> </tbody> </table>	DRAWER #	LENGTH x WIDTH x DEPTH	1, 2, 3, 4	15" x 2.9" x 7.8" (38.1 x 7.4 x 19.8 cm)	5, 6	15" x 3.9" x 7.8" (38.1 x 9.9 x 19.8 cm)	7, 8	15" x 4.9" x 7.8" (38.1 x 12.4 x 19.8 cm)	<ul style="list-style-type: none"> Exterior dimensions: 32.75" x 20.87" x 12.61" (83.2 x 53 x 32 cm) 	64 lbs. (29.03 kg)
DRAWER #	LENGTH x WIDTH x DEPTH												
1, 2, 3, 4	15" x 2.9" x 7.8" (38.1 x 7.4 x 19.8 cm)												
5, 6	15" x 3.9" x 7.8" (38.1 x 9.9 x 19.8 cm)												
7, 8	15" x 4.9" x 7.8" (38.1 x 12.4 x 19.8 cm)												

* All dimensions and weights are approximate. All specialty cases are available exclusively in OD Green. All shipping cases are available exclusively in black. Limited warranty applies.

> LARGE, X-LARGE, XX-LARGE RUGGEDIZED SHIPPING CASES

Transport and protect big equipment in our Large, X-Large, or XX-Large Ruggedized Shipping Cases. These cases are lightweight, shockproof, watertight, dustproof, heat, and chemical-resistant, which make them extremely tough and offer ultimate protection that will move your equipment from point A to point B without a scratch.



XX-LARGE RUGGEDIZED SHIPPING CASE
CATALOG NUMBER:
AL3834-1617-110

> LARGE RUGGEDIZED SHIPPING CASES

PRODUCT	CATALOG NUMBER	FEATURES APPLICATION EXAMPLES	DIMENSIONS*		LID* DEPTH	BOTTOM* DEPTH	WEIGHT*
			LENGTH X WIDTH X DEPTH (External dimensions)	LENGTH X WIDTH X DEPTH (Internal dimensions)			
RUGGEDIZED SHIPPING CASE	AL1616-0505-110	FEATURES: <ul style="list-style-type: none"> ▪ Comfort grip handles ▪ Positive anti-shear locks, which prevent lid separation after impact ▪ Recessed hardware for extra protection ▪ 2 wheels 	18.75" x 18.88" x 12.19" (47.6 x 48 x 31 cm)	15.75" x 15.88" x 10.54" (40 x 40.3 x 26.8 cm)	5.12" (13 cm)	5.42" (13.8 cm)	14.5 lbs. (6.6 kg)
RUGGEDIZED SHIPPING CASE	AL2013-0903-110		22.90" x 16.00" x 13.90" (58.1 x 40.6 x 35.3 cm)	19.90" x 13.00" x 12.30" (50.5 x 33 x 31.2 cm)	3.00" (7.6 cm)	9.30" (23.5 cm)	16.8 lbs. (7.6 kg)
RUGGEDIZED SHIPPING CASE	AL2624-1805-110		29.10" x 27.00" x 26.60" (73.8 x 68.6 x 67.6 cm)	26.40" x 24.00" x 22.90" (67 x 60.9 x 58.1 cm)	5.10" (12.9 cm)	17.80" (45.2 cm)	38.5 lbs. (17.5 kg)
RUGGEDIZED SHIPPING CASE	AL3018-1505-110		APPLICATION EXAMPLES: <ul style="list-style-type: none"> ▪ Trade shows support materials, shipping, portable general storage 	32.75" x 20.87" x 21.93" (83.2 x 53 x 55.7 cm)	29.75" x 17.87" x 20.12" (75.6 x 45.4 x 51.1 cm)	5.25" (13.3 cm)	14.87" (37.8 cm)

* All dimensions and weights are approximate. All shipping cases are available in black. Limited warranty applies.

> X-LARGE RUGGEDIZED SHIPPING CASES

PRODUCT	CATALOG NUMBER	FEATURE APPLICATION EXAMPLES	DIMENSIONS*		LID* DEPTH	BOTTOM* DEPTH	WEIGHT*	
			LENGTH X WIDTH X DEPTH (External dimensions)	LENGTH X WIDTH X DEPTH (Internal dimensions)				
RUGGEDIZED SHIPPING CASE	AL3418-1005-110	FEATURES: <ul style="list-style-type: none"> ▪ Comfort grip handles ▪ Positive anti-shear locks, which prevent lid separation after impact ▪ Reinforced corners and edges for additional impact protection ▪ Molded-in ribs and corrugations for secure, non-slip stacking, columnar strength, and added protection 	27.20" x 21.00" x 17.30" (69.1 x 53.3 x 43.9 cm)	34.20" x 18.00" x 15.40" (86.8 x 45.7 x 39.0 cm)	5.30" (13.3 cm)	10.10" (25.7 cm)	30.6 lbs. (13.9 kg)	
RUGGEDIZED SHIPPING CASE	AL4024-1305-110		<ul style="list-style-type: none"> ▪ Recessed hardware for extra protection ▪ Ruggedized Shipping Case for flat screens will accommodate most 42" (106 cm) to 50" (127 cm) screens. (applies to CATALOG NUMBER AL5415-1026-110 only) ▪ 2 wheels 	42.87" x 27.31" x 20.19" (108.8 x 69.3 x 51.3 cm)	39.87" x 24.31" x 18.00" (101.2 x 61.7 x 45.7 cm)	5.25" (13.3 cm)	12.75" (32.4 cm)	50.2 lbs. (22.8 kg)
RUGGEDIZED SHIPPING CASE (FOR FLAT SCREEN)	AL5415-1026-110		APPLICATION EXAMPLES: <ul style="list-style-type: none"> ▪ Trade shows support materials, shipping, portable general storage 	57.06" x 18.87" x 39.62" (144.9 x 47.9 x 100.6 cm)	54.62" x 15.88" x 35.88" (138.7 x 40.3 x 91.1 cm)	25.88" (65.7 cm)	10.00" (25.4 cm)	98.2 lbs. (44.54 kg)

* All dimensions and weights are approximate. All shipping cases are available in black. Limited warranty applies.

> XX-LARGE RUGGEDIZED SHIPPING CASES

PRODUCT	CATALOG NUMBER	FEATURES APPLICATION EXAMPLES	DIMENSIONS*		LID* DEPTH	BOTTOM* DEPTH	WEIGHT*
			LENGTH X WIDTH X DEPTH (External dimensions)	LENGTH X WIDTH X DEPTH (Internal dimensions)			
RUGGEDIZED SHIPPING CASE	AL3834-1617-110	FEATURES: <ul style="list-style-type: none"> ▪ Comfort Grip Handles ▪ Positive anti-shear locks, which prevent lid separation after impact ▪ Reinforced corners and edges for additional impact protection ▪ Molded-in ribs and corrugations for secure, non-slip stacking, columnar strength, and added protection 	41.12" x 37.12" x 38.82" (104.4 x 94.3 x 98.6 cm)	38.12" x 34.12" x 33.00" (96.8 x 86.6 x 83.8 cm)	17.25" (43.8 cm)	15.75" (40 cm)	86.4 lbs. (39.2 kg)
RUGGEDIZED SHIPPING CASE	AL5424-2306-110		<ul style="list-style-type: none"> ▪ Recessed hardware for extra protection ▪ Forklift skid-runners: One-piece moulded skid-runners provide clearance for forklift tines and pallet jacks 	56.87" x 26.93" x 33.75" (144.4 x 68.4 x 85.7 cm)	53.87" x 23.93" x 28.87" (136.8 x 60.8 x 73.3 cm)	6.12" (15.5 cm)	22.75" (57.8 cm)
RUGGEDIZED SHIPPING CASE	AL6912-1003-110	APPLICATION EXAMPLES: <ul style="list-style-type: none"> ▪ Trade shows support materials, shipping, portable general storage 	72.37" x 15.00" x 16.28" (183.8 x 38.1 x 41.4 cm)	69.37" x 12.00" x 14.09" (176.1 x 30.5 x 35.8 cm)	3.60" (9.1 cm)	10.49" (26.6 cm)	42 lbs. (19.1 kg)

* All dimensions and weights are approximate. All shipping cases are available exclusively in black. Limited warranty applies.



PELICAN™

CANADA

U.S.A.

10221-184th Street
 Edmonton, Alberta T5S 2J4
 Toll Free: (866) 273-5422
 Tel: (780) 481-6076
 Fax: (780) 481-9586
 www.Pelican.ca

23215 Early Avenue
 Torrance, CA 90505
 Tel: (800) 473-5422
 Fax: (310) 326-3311
 www.Pelican.com

Training on these products and information on additional packaging solutions are available. Please call your local Pelican sales representative.

KO-HEN ELECTRONICS SUPPLY LTD.

6022 67A Street Red Deer AB, T4P 3E8
 Ph: 403.346.3733 Fax: 403.340.3890
 E: sales@kohen.ca www.kohen.ca